

Data in the spotlight


UK and cross-national surveys





Overview


The UK Data Service
Survey Data
Documentation and Tips
Website Tour
If you have questions put in the Q&A box and we will answer later



What is the UK Data Service

- A comprehensive resource funded by the ESRC
- A single point of access to a wide range of secondary social science data
- Support, training and guidance





What data do we hold







UK surveys

Data about individuals or households

- Commissioned by Government departments
- Conducted by organisations such as the ONS, National Centre for Social Research

Datasets include key characteristics with large sample sizes

Nationally-representative

Repeated cross-sections

Same (or similar) questionnaire with a new sample of people every time, often repeated regularly









Survey microdata

	■ QHealthr	♣ RSEX	▲ AGEXr	♣ Martstat3r	♣ HighEd4r	& Ethnicity2r
1	2	2	2	2.00	2	1
2	2	1	3	1.00	2	1
3	2	1	3	1.00	4	2
4	3	2	5	1.00	4	1
5	1	2	3	3.00	2	1
6	2	2	1	2.00	2	1

each column


Variables containing information collect by the survey

	■ QHealthr	♣ RSEX	■ AGEXr	Martstat3r	♣ HighEd4r	& Ethnicity2r
1	Good	Female	25 to 44	Single	Below degre	White
2	Good	Male	45 to 54	Married/Cohabitin	Below degre	White
3	Good	Male	45 to 54	Married/Cohabitin	None	Other
4	Fair	Female	65 to 74	Married/Cohabitin	None	White
-	V	EI-	45 1- 54	M: J J/D:	Dalam Jama	1A/II-ta -

example

Row 1 = Female, aged 25-44.





Accessing microdata


Download

- Whole datasets (and documentation)
- Different formats: SPSS, STATA and Tab

Online via Nesstar

- Browse variables and metadata
- Simple data analysis
- Export tables and graphs
- Download subsets of data





Key topics



Employment and work

- Labour Force Survey
- Annual Population Survey
- European Working Conditions Survey



Health

- Health Survey for England
- Scottish Health Survey
- Diet and Nutrition surveys



Family Finances

- Family Resources Survey
- Living Costs and Food Survey



Crime

- Crime Survey for England and Wales
- Scottish Crime and Justice Survey



Attitudes and opinions

- British Social Attitudes Survey
- NI Life and Times Survey
- Eurobarometer
- European and World Values Surveys



Housing and the local environment


- English Housing Survey
- Living in Wales



Which of these variables do you think we hold?

- Total daily expenditure for 2 weeks
- Surveyor report on properties
- Blood samples
- Number of sexual partners
- Covid-19 test results





Types of information collected in UK surveys

The Living Costs and Foods Survey

expenditure and food

The English Housing Survey

• a surveyors report on housing conditions

Health Survey for England

 a nurse visit to a sub-sample of participants includes both a blood and saliva test as well as taking height and weight measurements

The National Survey for Sexual Attitudes and lifestyles

 asks detailed questions about sexual experiences, behaviours, and views

Understanding Society (Covid waves)

 test results, vaccination, infection, social and employment changes arising from Covid





Survey examples



British Social Attitudes survey

- Public attitudes
- Patterns of continuity and change
- Most years since 1983
- Sample ~3,000
- Core questions (asked most years)
 - Including background and classificatory questions
- Modules on social, economic, political and moral issues
 - some asked regularly, others less often



(3) (a) UK Border Controls



Gender equality

Attitudes to gender roles

Support for a traditional division of gender roles has declined over time, though substantial support remains for women having the primary caring role when children are young.



Image adapted from the BSA 2012 report 'British Social Attitudes 30, published by NatCen http://bsa-30.natcen.ac.uk/media/37580/bsa30 full report.pdf



Mentimeter

• Answers in 2012 (3,13,23,33%)

Gender equality

Attitudes to gender roles

Support for a traditional division of gender roles has declined over time, though substantial support remains for women having the primary caring role when children are young.



Image adapted from the BSA 2012 report 'British Social Attitudes 30, published by NatCen http://bsa-30.natcen.ac.uk/media/37580/bsa30 full report.pdf



Labour Force Survey

ONS survey – main source of data in the labour market

- Measures employment, unemployment and economic activity
- Plus related topics occupation, training, hours of work and personal characteristics of household members aged 16 years and over


Quarterly Labour Force Survey, 1992-

• ~60,000 interviewed per quarter

Datasets

- Quarterly: individual and household
- Longitudinal datasets (linking quarters)


UK total actual weekly hours worked (people aged 16 years and over), seasonally adjusted, between August to October 1992 and February to April 2020



Health Survey for England

- General health, longstanding illness, smoking and alcohol
- Core questionnaire plus focus topic for the year
- Annual survey, run since 1991
- Currently ~13,000 interviews a year
- Questionnaire with physical measurements and the analysis of blood sample
- Reports:

 http://healthsurvey.hscic.gov.uk/support
 -guidance/public-health/health-survey for-england-2018/



Adult obesity

56%

of adults were at increased, high or very high risk of chronic disease due to their waist circumference and BMI.

Children's obesity

The prevalence of child obesity increased with age. 4% of boys and 9% of girls aged 2 to 4 were obese compared with 22% of boys and 21% of girls aged 13 to 15.



Longstanding conditions

43%

of adults had at least one longstanding condition. The most common type was musculoskeletal conditions (17%).

Asthma in children

The proportion of children who had ever had asthma diagnosed decreased by 10 percentage points from 20% in 2001/02 to 10% in 2018.



Adult smoking and e-cigarette use

18%

of current cigarette smokers were also using e-cigarettes.

Children's e-cigarette use

7%

of 8- to 15-year-olds had used an e-cigarette, including 15% of 13- to 15-year-olds.

Social care

Unmet need for help with Activities of Daily



Physical activity

27%

Raised total cholesterol

From 1998 to 2018 the proportion of adults with raised total cholesterol fell



Survey documentation


Understanding the survey

Understanding Society documentation

Key documents

- user guide summarises design, sampling, derived variables, using weights, funding, how to link to main survey and details of special access datasets
- questionnaires for each wave
- data dictionary
- participant information

Understanding Society: COVID-19 Study, 2020-2021



Documentation

Title	File name \$	Size (MB)
UK Data Archive Citation File for Study 8644	UKDA_Study_8644_Information.htm	0
UK Data Archive Data Dictionaries	ukda_data_dictionaries.zip	1.47
UK Data Archive ReadMe File for Study 8644	read8644.htm	0
Understanding Society COVID-19 Study: April 2020 Questionnaire	8644 ukhls covid19 apr20 questionnaire v6.0.pdf	40.37
Understanding Society COVID-19 Study: Changes to Data Previously Deposited with UK Data Service	8644_ukhls_covid19_data_changes_v8.0.pd f	7.38



Understanding Society questionnaire

- questions asked
- variable name
- routing information (conditions on whether question is asked)
- time and date stamps for start and completion

The example asks about long Covid symptoms.

Igcvsymp [Long covid symptoms]

Universe: IF ff_hadsymp = 1 AND hadsymp is not 1 AND longcovid = 2 AND (ff_country is not 2 OR (ff_country = 2 AND welsh is not 1)) // Ask if previously reported having covid symptoms, and not reported having symptoms in current survey, and has not returned to previous health, and respondent not living in Wales, or living in Wales and did not complete survey in Welsh.

Source: UKHLS covid-19 survey

Scripting notes: For compatibility with 'symptoms' for current covid, category numbering is not in order – please follow order below.

Text: Which of the following symptoms do you have?

Please select all that apply.

- High temperature
- 23. Persistent coughing
- 24. Loss of concentration
- 25. Difficulty remembering things
- 3. Shortness of breath or trouble breathing
- 4. Runny or stuffy nose
- Muscle or body aches
- 6. Headaches
- 7. Sore throat
- 8. Fatigue
- Diarrhoea/Digestive issues/Upset stomach
- 10. Loss of sense of smell or taste
- 12. Decrease in appetite
- 13. Sneezing
- Sore eyes
- 15. Hoarse voice
- Dizziness
- 17. Tightness in the chest
- 18. Chest pain
- 19. Chills (feeling too cold)
- 20. Difficulty sleeping
- 21. Numbness or tingling somewhere in the body
- 22. Feeling of heaviness in arms or legs
- 26. Other




Understanding Society resources

The Resources tab provides links to

- case studies that analyse key messages from the dataset
- publications that have used the dataset
- details of related studies / datasets
- other relevant information (in this case link to the Understanding Society website that includes a variable search facility)

Understanding Society: COVID-19 Study, 2020-2021





Survey weights

- Survey datasets contain weighting variable(s) in the dataset
- Make the sample data better represent the population results can be incorrect without weights
- Easy to use in statistics packages
- Details will be in the survey documentation

For more information see out guides

- •What is weighting?
- •An introduction to using weights in social surveys (Video)
- How to use weights in Nesstar (Video)
- •Guides to SPSS, Stata and R
- Data skills modules



Access conditions

Open access

- Available with few restrictions
- Small number of teaching datasets

Safeguarded

- Most survey data is safeguarded
- End User Licence (EUL)
- Need to register and agree to conditions
- May have additional conditions

Controlled

- Applications checked
- Access through a secure access agreement
- Access through a physical or virtual secure environment



Looking at the website

https://ukdataservice.ac.uk





Any questions?

Nigel de Noronha

nigel.denoronha@manchester.ac.uk

